

Blade LED Tailgate Lightbar Instructions 2023+ Colorado/Canyon Trucks

Congratulations on your purchase of a high quality PUTCO product. Should you need any application or technical assistance, feel free to call us at: 1-800-247-3974

Monday-Friday 8:00 a.m. - 5:00 p.m. (Central Standard Time)


KIT CONTENTS:	
Description Qty	
LED Light Bar	1
Quick Connect Harness	1
Black Plastic Bracket	4
3M Tape Strips	5
Spacer (HD trucks only)	1

Additional Tools Needed:

- Clean cloth
- At least 90% Isopropyl Alcohol
- _ Zip-Ties

Installation Instructions (2023+ Colorado/Canyon Trucks)

- 1. Verify the kit contents above.
- 2. Clean and dry the vehicle thoroughly in location where light bar is to be installed.
- 3. Vehicle surface temperature must be a minimum of 15°C (60°F).
- 4. Remove tail gate to make mounting Blade easier.
- 5. Install 3M tape on back of black plastic brackets.
- 6. Light bar brackets need to be 1/4" to 5/16" above metal "ridge" to allow enough clearance between tail gate and lightbar
 - Use light bar bracket to achieve proper gap between ridge and light bar (Figure 1).





Wiring Installation with Quick Connect Harness (both Colorado and Canyon trucks)



Figure 3. Factory Wiring Harness Locations


1. Factory wire harness are located underneath the tail lights on either side of the vehicle Shown in Figures 3 and 4.



Page 2 of 4




- 2. Disconnect the black plug shown in Figure 4 (passenger's side pictured).
- 3. IMPORTANT! Make sure to plug each end of the quick connect harness into the appropriate side of the vehicle, as identified in Figure 5.
- 4. Plug in the Quick Connect Harness into the factory wiring harness (Figure 6). Repeat on driver's side.





- 5. Route the Blade Quick Connect Harness along inner bumper and zip-tie safely into place.
- 6. Connect the 4-pin plug and reverse plug of the Blade Quick Connect Harness to the Blade Lightbar (Figure 7).
- 7. Zip-tie the Blade driver box behind the bumper. Make sure it is safely away from road debris, pinch points, and hot exhaust parts.



8. With the help of an assistant, test the functionality of the Blade (brake, turn signals, and reverse).

Enjoy Your New Putco Blade Light Bar!